

TRAFFIC 036A / 037A


RED & GREEN LED TRAFFIC LIGHT
STOP & GO DOCK LIGHT
YELLOW CASING

STANDARD FEATURES

- Red and green LED traffic or dock light.
- Safety yellow polypropylene casing.
- Power supply: 120VAC (TRAFFIC036A) / 24VDC (TRAFFIC037A).
- Current consumption: 0.10 Amp (TRAFFIC036A) / 0.13 Amp (TRAFFIC037A).
- Available in two unit sets (for mounting on opposite sides of door) or single units that can stand alone or can be connected to auxiliary safety systems.
- Operation Temperature: -29°C to 54°C (-20°F to 130°F).
- Long life, energy efficient LEDs.
- LED Lens Diameter: 4.25".
- Dimensions: 6.5" x 11.5" x 3.75".
- Eyebrow-type sun visors provide extended visibility while shielding the lights from rain and snow.
- Shallow depth of unit reduces risk of damage.
- Convenient mounting holes provide simple installation.
- IP54.
- cULus Listed.
- 3 Year limited LED defect warranty.
- Includes: traffic light.


COMMON APPLICATIONS

- Loading Docks.
- Car Washes.
- Parking Lots and Garages.
- Drive Thru Windows.
- Controlled Access Entrances.



Stop and Go lights increase safety by providing a visual communication anywhere a go or no-go signal is required. The system alerts the doorway's clearance status to truck drivers and loading dock personnel and indicates when loading and unloading may proceed.

DIMENSIONS



Part #	Color	Input Voltage	Amperage Consumption
TRAFFIC036A	Yellow	120 VAC	0.10 A
TRAFFIC036B	Black	120 VAC	
TRAFFIC037A	Yellow	24 VDC	0.13 A
TRAFFIC037B	Black	24 VDC	

Manaras-Opera SS TRAFFIC036A_037A 2021.03.24 Rev 0 - Printed in Canada



**When you think
Commercial Door OPERATORS,
just think OPERA.**

Manaras-Opera reserves the right to make specification or design changes without prior notice.
©2021 9141-0720 Québec Inc. All rights reserved. Reg. T.M. of 9141-0720 Québec Inc.

800-361-2260
info@manaras.com
www.manaras.com